

GOVERNMENT OF ANDHRA PRADESH
A B S T R A C T

Public Services – Sri B. Appala Naidu, former Executive Engineer, PR, Palakonda, Srikakulam Dist now working as Executive Engineer, PRI Division, Paderu, Visakhapatnam District - Departmental Proceedings under Rule 20 of Andhra Pradesh Civil Services (Classification, Control and Appeal), Rules, 1991 – Articles Of Charge – Issued.

PANCHAYAT RAJ AND RURAL DEVELOPMENT (VIG. II) DEPARTMENT

G.O. Rt. No. 159

Dt:- 31-01-2013

Read:-

From the ENC, PR, Lr. No. Vig. I (1)/3419/12, Dt. 20.10.2012

ORDER

It is proposed to hold an inquiry against Sri B. Appala Naidu, former Executive Engineer, PR, Palakonda, Srikakulam Dist now working as Executive Engineer, PRI Division, Paderu, Visakhapatnam District in accordance with the procedure laid down in Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991.

2. The substance of the imputations of misconduct or misbehaviour in respect of which the inquiry is proposed to be held is set out in the enclosed statement of articles of charges (Annexure-I). A statement of imputations of misconduct or misbehaviour in support of each article of charge is enclosed (Annexure-II). A list of documents by which, and, a list of witnesses by whom, the articles of charges are proposed to be sustained, are also enclosed (Annexure-III and Annexure-IV).

3. Sri B. Appala Naidu, former Executive Engineer, PR, Palakonda, Srikakulam Dist now working as Executive Engineer, PRI Division, Paderu, Visakhapatnam District is directed to submit within 10 days of the receipt of this order, a written statement of his defence.

4. Sri B. Appala Naidu, former Executive Engineer, PR, Palakonda, Srikakulam Dist now working as Executive Engineer, PRI Division, Paderu, Visakhapatnam District is informed that an inquiry will be held only in respect of those articles of charges as are not admitted. He should, therefore, specifically admit or deny each article of charge.

5. Sri B. Appala Naidu, former Executive Engineer, PR, Palakonda, Srikakulam Dist now working as Executive Engineer, PRI Division, Paderu, Visakhapatnam District is further informed that if he does not submit his written statement of defence on or before the date specified in para 3 above or otherwise fails or refuses to comply with the provisions of rule 20 of Andhra Pradesh Civil Services (CCA) Rules, 1991 or the orders/directions issued in pursuance of the said rules, the Inquiry Authority may hold the inquiry against him ex parte.

6. Attention of Sri B. Appala Naidu, former Executive Engineer, PR, Palakonda, Srikakulam Dist now working as Executive Engineer, PRI Division, Paderu, Visakhapatnam District is invited to Rule 24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964, under which no Government Servant shall bring or attempt to bring any political or outside influence to bear upon any superior authority to further his interest in respect of matters pertaining to his service under the Government. If any representation is received on his behalf from another person in respect of any matter dealt within these proceedings, it will be presumed that Sri B. Appala Naidu, former Executive Engineer, PR, Palakonda, Srikakulam Dist now working as Executive Engineer, PRI Division, Paderu, Visakhapatnam District is aware of such a representation and that it has been made at his instance and action will be taken against him for violation of Rule.24 of the Andhra Pradesh Civil Services (Conduct) Rules, 1964.

7. The receipt of this order shall be acknowledged forthwith.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Encl: Annexures I to IV

V. NAGI REDDY
PRINCIPAL SECRETARY TO GOVT (PR)

To

- (1) Sri B. Appala Naidu, former Executive Engineer,
PR, Palakonda now working as Executive Engineer,
PRI Division, Paderu, Visakhapatnam
through the Engineer-in-Chief (PR), Hyderabad.
- (2) The Engineer-in-Chief(PR), Hyderabad – with a request to serve the memo., to the individual and return the dated acknowledgment copy to Govt.
- (3) Copy to Estt-I Section for information
- (4) SF/SC.

//Forwarded By Order//

SECTION OFFICER

ANNEXURE – I
STATEMENT OF ARTICLES OF CHARGE FRAMED AGAINST SRI B. APPALA NAIDU, FORMER EXECUTIVE ENGINEER, PR, PALAKONDA, NOW WORKING AS EXECUTIVE ENGINEER, PRI DIVISION, PADERU, VISAKHAPATNAM.

Article-I:

That the said Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam, while working as Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metaling the R/f PH Road to Venkampeta Colony of Palakonda sanctioned at an Estimate Cost of Rs. 10.00 lakhs under MGNREGS funds during the financial year 2009-2010.

Article – II:

That the said Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam, while working as Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metalling the Road from Navagam, Jumparakota road to Dolamadavalasa sanctioned at an Estimate Cost of Rs. 11.40 lakhs under MGNREGS funds during the financial year 2009-2010.

Article - III:

That the said Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam, while working as Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metaling the road from R&B road to Savariguda via Biyyalavalasa at an Estimate cost of Rs. 25.00 lakhs under MGNREGS funds during the financial year 2009-2010.

Article -IV:

That the said Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam, while working as Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metalling the Road from Gudiwada to Chinnakotipalli, S.T. village sanctioned at an estimate cost of Rs. 9.00 lakhs under MGNREGS funds during the financial year 2009-2010.

Article -V:

That the said Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam, while working as Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metalling the Road from PH road to Neelamma Colony of Palakonda sanctioned at an estimate cost of Rs. 10.00 lakhs under MGNREGS funds during the financial year 2009-2010.

Article -VI:

That the said Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam, while working as Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metalling the Road from PH road to M.K. Rajapuram sanctioned at an estimate cost of Rs. 7.00 lakhs under MGNREGS funds during the financial year 2009-2010.

V. NAGI REDDY
PRINCIPAL SECRETARY TO GOVT (PR)

SECTION OFFICER

ANNEXURE – II
STATEMENT OF IMPUTATIONS OF MISCONDUCT OR MISBEHAVIOUR IN
SUPPORT OF THE ARTICLES OF CHARGE FRAMED AGAINST SRI B. APPALA
NAIDU, FORMER EXECUTIVE ENGINEER, PR, PALAKONDA, NOW WORKING AS
EXECUTIVE ENGINEER, PRI DIVISION, PADERU, VISAKHAPATNAM.

Article-I:

As per the report of the Executive Engineer, PR V&QC, Visakhapatnam that Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam the then Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metaling the R/f PH Road to Venkampeta Colony of Palakonda sanctioned at an estimate cost of Rs. 10.00 lakhs under MGNREGS funds during the financial year 2009-2010 and caused loss to the Government for Rs. 3,75,681/-The details of deficiencies observed by the V & QC authorities shown given below:

48.67% deficiency in thickness of GSB layer observed from 0/0 to 0/750 mts observed. 28.57% deficiency in weight of metal observed from a pit of size 0.5m X 0.5m X 0.091m from 0/0 to 0/750mts. 65.79% deficiency in thickness of protective carpet layer observed from 0/0 to 0/750mts. Hence all the three layers are at rejection level as per Memo. No. 15320/Vig. I/2005, Dt. 12.05.2006 of the PR & RD Department.

Article– II:

As per the report of the Executive Engineer, PR V&QC, Visakhapatnam that Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam the then Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metaling the Road from Navagam, Jumparakota road to Dolamadavalasa sanctioned at an estimate cost of Rs. 11.40 lakhs under MGNREGS funds during the financial year 2009-2010 and caused loss to the Government for Rs. 6,27,963/-The details of deficiencies observed by the V & QC authorities shown given below:

24.67% deficiency in thickness of GSB layer observed. 12.5% deficiency in width of GSB layer observed. 23.68% deficiency in thickness of protective carpet observed. 6.67% deficiency in width of protective carpet layer observed. 76.48% deficiency in weight of Gr-II metal layer observed from a pit of size 0.5 X 0.5 X 0.091m. 42.67% deficiency in thickness of Gr-II metal layer observed. 6.67% deficiency in width of Gr-II metal layer observed. Hence all the three layers are at rejection level from 0/0 to 1/1km as per Memo. No. 15320/Vig. I/2005, Dt. 12.05.2006 of the PR & RD Department. Protective carpet layer was not recorded and check measured and payment was not made.

Article - III:

As per the report of the Executive Engineer, PR V&QC, Visakhapatnam that Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam the then Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metaling the Road from R&B road to Savariguda via Biyyalavalasa sanctioned at an estimate cost of Rs. 25.00 lakhs under MGNREGS funds during the financial year 2009-2010 and caused loss to the Government for Rs. 1,53,456/-. The details of deficiencies observed by the V & QC authorities shown given below:

For GSB layer there is a deficiency of 613.20 cum in Gravel collections observed. Consolidation with power roller not taken up. But conveyance for power roller recorded and paid for Rs. 5000/-.

Article -IV:

As per the report of the Executive Engineer, PR V&QC, Visakhapatnam that Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam the then Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metaling the Road from Gudiwada to Chinnakotipalli S.T.

village sanctioned at an estimate cost of Rs. 9.00 lakhs under MGNREGS funds during the financial year 2009-2010 and caused loss to the Government for Rs. 2,48,071/-. The details of deficiencies observed by the V & QC authorities shown given below:

There is a deficiency of 34.85% in thickness of GSB in 1st km and 22.85% in thickness of GSB in 2nd km. Hence, the GSB layer in both kms is at rejection level as per Memo. No. 15320/Vig. I/2005, Dt. 12.05.2006 of the PR & RD Department.

Article -V:

As per the report of the Executive Engineer, PR V&QC, Visakhapatnam that Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam the then Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metaling the Road from PH road to Neelamma Colony of Palakonda sanctioned at an estimate cost of Rs. 10.00 lakhs under MGNREGS funds during the financial year 2009-2010 and caused loss to the Government for Rs. 1,72,067/-. The details of deficiencies observed by the V & QC authorities shown given below:

There is a deficiency of 61.33% in thickness of GSB layer. There is deficiency of 9.41% in weight of Gr.II layer and 15.96% over size observed. There is a deficiency of 23.68% in thickness of protective carpet layer. Hence GSB layer and protective carpet layer are under rejection level as per Memo. No. 15320/Vig. I/2005, Dt. 12.05.2006 of the PR & RD Department.

Article -VI:

As per the report of the Executive Engineer, PR V&QC, Visakhapatnam that Sri B. Appala Naidu, Executive Engineer, PRI Paderu, Visakhapatnam the then Executive Engineer, PR, Palakonda has failed to follow the Government norms in execution, supervision and payment of the work Gravelling and Metaling the Road from PH road to M.K. Rajapuram sanctioned at an estimate cost of Rs. 7.00 lakhs under MGNREGS funds during the financial year 2009-2010 and caused loss to the Government for Rs. 4,55,199/-. The details of deficiencies observed by the V & QC authorities shown given below:

There is a deficiency of 40% in thickness of GSB layer in 0/0 to 1/0 km and 18% in thickness of GSB in 1/0 to 1/325 km. Hence GSB in 1st km i.e., 0/0 to 1/0 km is at rejection level. 9.03% over size metal observed in 0/0 to 0/5 km. There is a deficiency of 30.31% in weight of Gr. II metal in 0/5 to 1/0 km and 40.76% in weight of Gr. II metal in 1/0 to 1/352 km. Hence Gr. II layer from 0/5 to 1/325 km is at rejection level. There is a deficiency of 76.31% in 1st km and 100% deficiency in 2nd km for protective carpet layer. Hence protective carpet layer from 0/0 to 1/325 km is at rejection level as per Memo. No. 15320/Vig. I/2005, Dt. 12.05.2006 of the PR & RD Department.

V. NAGI REDDY
PRINCIPAL SECRETARY TO GOVT (PR)

SECTION OFFICER

ANNEXURE – III
LIST OF DOCUMENTS BY WHICH THE ARTICLES OF CHARGE FRAMED
AGAINST SRI B. APPALA NAIDU, FORMER EXECUTIVE ENGINEER, PR,
PALAKONDA, NOW WORKING AS EXECUTIVE ENGINEER, PRI DIVISION,
PADERU, VISAKHAPATNAM ARE PROPOSED TO BE SUSTAINED

Lr. Rc. No. 23/AEE4/V&QC/VSP. Dt. 20.04.2012 of Executive Engineer, PR, V&QC,
Visakhapatnam

Enclosed the detailed findings and inspections reports of all 14 works.

V. NAGI REDDY
PRINCIPAL SECRETARY TO GOVT (PR)

SECTION OFFICER

ANNEXURE-IV
LIST OF WITNESSES BY WHOM THE ARTICLES OF CHARGE FRAMED AGAINST
SRI B. APPALA NAIDU, FORMER EXECUTIVE ENGINEER, PR, PALAKONDA,
NOW WORKING AS EXECUTIVE ENGINEER, PRI DIVISION, PADERU,
VISAKHAPATNAM ARE PROPOSED TO BE SUSTAINED

-- NIL—

V. NAGI REDDY
PRINCIPAL SECRETARY TO GOVT (PR)

SECTION OFFICER